

LEGAL NOTICE

STATE OF LOUISIANA, OFFICE OF CONSERVATION, BATON ROUGE, LOUISIANA.

In accordance with the laws of the State of Louisiana, and with particular reference to the provisions of Title 30 of Louisiana Revised Statutes of 1950, a public hearing will be held in the Hearing Room, 1st Floor, LaSalle Building, 617 North 3rd Street, Baton Rouge, Louisiana, at 9:00 a.m. on **TUESDAY, MAY 16, 2006**, upon the application of **CLAYTON WILLIAMS ENERGY, INC.**

At such hearing the Commissioner of Conservation will consider evidence relative to the issuance of Orders pertaining to the following matters relating to the **Gray Sand, Reservoir A**, in the Terryville Field, Lincoln Parish, Louisiana.

1. To permit the Applicant to drill, designate and utilize two (2) alternate unit wells for GRAY RA SUFF, at the locations shown on the plat submitted with the application, in exception to the well spacing provisions of Office of Conservation Order No. 370-E, effective May 23, 1979, and Office of Conservation Order No. 370-E-1, effective May 13, 1980.
2. To explicitly find that the proposed alternate unit wells are necessary to drain a portion of the Gray Sand, Reservoir A, underlying GRAY RA SUFF, which cannot be efficiently and economically drained by any existing well in such unit.
3. To consider such other matters as may be pertinent.

The Gray Sand, Reservoir A, was redefined in Office of Conservation Order No. 370-E-2, effective November 6, 1980.

A plat is available for inspection in the Office of Conservation in **Baton Rouge and Shreveport**, Louisiana.

www.dnr.state.la.us/CONS/CONSEREN/hearings/pubhearings.htm.

All parties having interest therein shall take notice thereof.

BY ORDER OF:

JAMES H. WELSH
COMMISSIONER OF CONSERVATION

Baton Rouge, La
4/27/06;5/2/06
S
dnp

IF ACCOMMODATIONS ARE REQUIRED UNDER AMERICANS WITH DISABILITIES ACT, PLEASE ADVISE THE OFFICE OF CONSERVATION-ENGINEERING DIVISION AT P.O. BOX 94275, BATON ROUGE, LA 70804-9275 IN WRITING WITHIN FIVE (5) WORKING DAYS OF THE HEARING DATE.